

REPORT DOCUMENTATION PAGE

Form Approved
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

| | | |
|--|---|---|
| 1. AGENCY USE ONLY (Leave blank) | 2. REPORT DATE 02/07/77 | 3. REPORT TYPE AND DATES COVERED |
| 4. TITLE AND SUBTITLE DETERMINATION OF DECONTAMINATION CRITERIA, DIMP AND DCPD (U) | | 5. FUNDING NUMBERS DAMD 17 75 C 5069 |
| 6. AUTHOR(S) O'DONOVAN, P. | | |
| 7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) AEROJET ORDNANCE & MANUFACTURING COMPANY DOWNEY, CA | | 8. PERFORMING ORGANIZATION REPORT NUMBER 81320R18 |
| 9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) FORT DETRICK (FREDERICK, MD.) FREDERICK, MD | | 10. SPONSORING/MONITORING AGENCY REPORT NUMBER |
| 11. SUPPLEMENTARY NOTES | | |
| 12a. DISTRIBUTION / AVAILABILITY STATEMENT APPROVED FOR PUBLIC RELEASE; DISTRIBUTION IS UNLIMITED | | 12b. DISTRIBUTION CODE |
| 13. ABSTRACT (Maximum 200 words) THIS IS A PROGRESS REPORT ON AEROJET'S STUDIES OF EXPERIMENTS CURRENTLY UNDERWAY (E.G., PLANT GROWTH & DIMP & DCPD LYSIMETER TESTS). LYSIMETER APPARATI WERE LOADED WITH RECONSTRUCTED SOIL PROFILES FROM VARIOUS SAMPLING LOCATIONS. THESE LOCATIONS YIELDED SEVERAL DIFFERENT SOIL TYPES. SAMPLES OF DIMP (ME-14C) AND DCPD (X-14C) OF 3.05 MILLCURIES PER MILLIMOLE AND 3.04 MILLCURIES PER MILLIMOLE WERE OBTAINED FROM NEW ENGLAND NUCLEAR CORPORATION AND USED IN SOIL SAMPLES. YIELD DATA FROM THE 1, 8 AND 20 PPM DIMP GROWTH TESTS HAS BEEN EXAMINED. | | |
| 14. SUBJECT TERMS CHEMICALS, CONTAMINANTS | | 15. NUMBER OF PAGES |
| | | 16. PRICE CODE |
| 17. SECURITY CLASSIFICATION UNCLASSIFIED | 18. SECURITY CLASSIFICATION OF THIS PAGE | 19. SECURITY CLASSIFICATION OF ABSTRACT |
| | | 20. LIMITATION OF ABSTRACT |

81320R18
Original

AEROJET ORDNANCE AND MANUFACTURING COMPANY
9236 East Hall Road
Downey, California 90241

| | |
|--------------------------------------|---|
| Accesion For | |
| NTIS | CRA&I <input checked="" type="checkbox"/> |
| DTIC | TAB <input type="checkbox"/> |
| Unannounced <input type="checkbox"/> | |
| Justification _____ | |
| By _____ | |
| Distribution / _____ | |
| Availability Codes | |
| Dist | Avail and / or Special |
| A-1 | _____ |

DETERMINATION OF DECONTAMINATION CRITERIA

DIMP AND DCPD (U)

Report No. 1953-01(18)MP

Contract DAMD-17-75-C-5069

Rocky Mountain Arsenal
Information Center
Commerce City, Colorado

to

U. S. ARMY, Ft. Detrick
Fredrick, Maryland, 21701

Prepared by:

P.A. O'Donovan

P. A. O'Donovan

Date: 7 February 1977

No. of Pages: 20

DTIC QUALITY INSPECTED 3

FILE COPY

| TASK | DESCRIPTION | 1975 | | | | | | | | | | | | 1976 | | | | | | | | | | | | 1977 | | | | | | | | | | | | | |
|------|---|--------|--------|--------|--------|--------|--------|--------|--------|--------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|------|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | | J 1 | A 2 | S 3 | O 4 | N 5 | D 6 | J 7 | F 8 | M 9 | A 10 | M 11 | J 12 | J 13 | A 14 | M 15 | J 16 | J 17 | Y 18 | N 19 | O 20 | D 21 | M 22 | A 23 | J 24 | | | | | | | | | | | | | | |
| | SURVEY OF LITERATURE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | PROTOCOL TASK II | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | HYDROSTATIC EXPERIMENTS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | SELECT PLANTS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | INSTALL APPARATUS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | GERMINATE SEEDS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | GROW AND INOCULATE PLANTS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | PHOTOGRAPHIC AND CHEMICAL ANALYSIS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | PROTOCOL TASK III (PART 1) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | SOIL CULTURE EXPERIMENTS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | CONSTRUCT GREENHOUSE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | PREPARE TEST PLAN | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | GROW AND INOCULATE PLANTS* | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | PRODUCE CARROT AND SUGAR BEET SEED* | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | PHOTOGRAPHIC AND CHEMICAL ANALYSIS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | RADIOACTIVE DCPD TRACING | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | LYSIMETER STUDIES | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | PROCURE, PROCESS AND FABRICATE LYSIMETERS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | IRRIGATE AND ANALYZE LYSIMETER CONTENTS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | CHRONIC DIMP | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | SINGLE CHARGE DIMP | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | DEVELOP ANALYSIS FOR OCPO IN SOIL | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | DATA | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ANNUAL REPORT | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

*POSSIBLE SLIPAGE POINT. ADJUSTMENT OF CONTAMINANT AT THIS POINT SHIFTS ALL FOLLOWING PLANT WORK TO THE RIGHT.

▼ - Satisfactory Progress -
on schedule

Determination of Decontamination Criteria - DIMP and DCPD

Research Task Schedule

Progress on items proposed for action during January 1977, is discussed in this report.

FULL SCALE LYSIMETER TESTS

Lysimeter apparatus were loaded with reconstructed soil profiles from various sampling locations. These locations yielded several different soil types including:

| | |
|-------------|-----------------|
| Chino - | sandy clay loam |
| Brawley - | silty clay |
| Ventura - | clay loam |
| Fullerton - | sandy loam |
| Walnut - | clay loam |

These soils were packed into five foot deep, epoxy coated, steel cylinders which were fitted with a series of porous ceramic tensiometer samples embedded at various soil depths. As the irrigation water percolates through the soil it is sampled by the various tensiometers. This irrigation water, in the amount of 12,887 ml. (2 inches of water depth) has been applied to the surface of the lysimeters on a biweekly basis in two modes. In one series (Group 1) the irrigation water contains 20 ppm of DIMP (diisopropylmethyl phosphonate) which is added to the soil column. In the other series (Group 2) plain distilled water is added to a soil column, the top one foot of which had previously been blended with DIMP to a concentration of 20 ppm.

During the most recent sampling period (January 1977) the ambient temperature and humidity have been such that the irrigation water did not evaporate as rapidly as in the past and the drainage period was extended from two weeks to four weeks. Figure 1 represents the "drainage ratio" of the Group 1




Figure 1. Drainage Ratios of Various Soils in Full Scale Lysimeter
Days After Original Inoculation

Group 1

lysimeters (the volume of irrigation water collected divided by the volume of water applied). All of the points except the most recent one are averages of two successive measurements. The most recent one is a single measurement of the four week drainage. Figure 2 represents the drainage ratio from the Group 2 lysimeters. Figure 3 is a summation of the average drainage ratios of all the members within the groups.

The irrigation water sampled by the tensiometers has been subjected to gas-liquid chromatographic analysis for DIMP content. The data for the most recent Group I samples is shown in Table 1. Due to the prolonged drainage time the Group 2 data was not available as of this writing.

The soil in each of the lysimeters was sampled, by means of a soil coring tool, in six inch increments of depth plus a small surface sample. All the samples in a given lysimeter were taken at the same horizontal location. The most recent DIMP analyses of the soil samples are shown in Tables 2 and 3. These numbers appear to be compatible with previous similar assays. The chronic addition group has a thin layer of high concentration of DIMP which diminishes generally with depth. The single charge of DIMP is moving downward in a broad band and is currently being eluted from the bottom of the soil column.

As for the past several months the DIMP content of the water eluted from the Group 1 columns appears to be in general agreement with previous assays, all of the values being between 14 and 19 ppm.

RADIOACTIVE TRACING OF SOIL CONTAMINATION

Samples of DIMP [ME-14C] and DCPD [X-14C] (dicyclopentadiene) of 3.05 millicuries per millimole and 3.04 millicuries per millimole were obtained from

1953-01(18)MP




Figure 2. Drainage Ratios of Various Soils in Full Scale Lysimeters

Group 2




Figure 3. Drainage Ratios of Various Soils in Full Scale Lysimeters
Average of All Samples Within the Groups

Table 1

DIMP Content of Tensiometer Water Samples (Group 1 - East)

| Depth | Ventura | Chino | Fullerton | Walnut | Brawley |
|-------|---------|----------------|-----------|--------|---------|
| | | ppm @ 405 days | | | |
| 6" | * | 17.1 | 28.3 | 26.9 | 27.7 |
| 18" | 6.7 | 16.5 | 18.0 | 7.5 | 26.0 |
| 30" | 4.9 | 23.2 | 26.4 | 20.1 | 16.7 |
| 42" | 8.6 | 17.5 | 25.3 | 14.5 | 17.1 |
| 54" | 18.1 | 17.7 | 18.7 | 12.3 | 13.7 |
| 60" | 14.3 | 18.4 | 15.6 | 18.7 | 15.5 |

* No sample

1953-01(18)MP

Table 2

DIMP Content of Soils Samples (ppm) (400 days)

Group 1

| Depth | Ventura | Chino | Fullerton | Walnut | Brawley |
|-------------|---------|-------|-----------|--------|---------|
| 0 (surface) | 49.8 | 18.5 | 27.6 | 85.4 | 34.9 |
| 0 - 6" | 5.9 | 5.7 | 8.0 | 13.5 | 10.0 |
| 6 - 12" | 5.5 | 4.6 | 12.8 | 6.3 | 6.5 |
| 12 - 18" | 2.9 | 3.7 | 6.9 | 2.6 | 6.5 |
| 18 - 24" | 6.1 | 3.0 | 5.7 | 1.9 | 8.6 |
| 24 - 30" | 3.4 | 3.2 | 7.7 | 2.7 | 8.0 |
| 30 - 36" | 3.4 | 3.5 | 3.3 | 2.8 | 8.7 |
| 36 - 42" | 3.2 | 3.8 | 2.5 | 1.2 | 7.7 |
| 42 - 48" | 3.6 | 2.7 | 3.7 | 1.0 | 6.7 |
| 48 - 54" | 3.7 | 3.8 | 4.4 | 2.9 | 7.0 |
| 54 - 60" | 2.8 | 6.6 | 4.3 | 3.3 | 9.1 |

Table 3

DIMP Content of Soils Samples (ppm) (252 days)

Group 2

| Depth | Ventura | Chino | Fullerton | Walnut | Brawley |
|---------------|---------|-------|-----------|--------|---------|
| 0 (surface) * | * | * | * | * | * |
| 0 - 6" | * | * | * | * | * |
| 6 - 12" | * | * | * | * | * |
| 12 - 18" | * | * | * | * | * |
| 18 - 24" | * | * | * | * | * |
| 24 - 30" | * | 4.9 | 2.8 | * | 18.7 |
| 30 - 36" | 13.4 | 14.0 | 11.0 | * | 23.9 |
| 36 - 42" | 29.4 | 8.5 | 7.4 | 1.8 | 7.0 |
| 42 - 48" | 14.3 | 7.5 | 4.9 | 5.6 | 2.0 |
| 48 - 54" | 19.6 | 4.2 | 3.7 | 15.7 | ** |
| 54 - 60" | ** | ** | 4.6 | 12.5 | ** |

* No sample

** <0.1 ppm

New England Nuclear Corporation. These materials were diluted and added to 4 inch deep soil samples contained in Pyrex test tubes and these inserted in a gas train as shown in Figure 4 . DIMP and DCPD were loaded in the soil homogeneously at 20 ppm. The first experiment has dry air flowing over the surface of the soil at approximately 100 milliliters per minute followed by bubbling into two solvent traps held in a dry ice bath. Samples of 1 inch increments of depth of soil plus the solvent traps have been submitted to New England Nuclear for extraction and liquid scintillation counting to determine the concentration of the chemicals still in the system. Upon receipt of the data from these preliminary tests planning of further elaborations such as moist soil and CO₂ traps downstream will be made. The 8 hour and 50 hour exposure samples for DCPD and the 14 hour samples for DIMP have been submitted. Additional samples are being exposed for longer periods subject to receipt of the analytical data.

SOIL CULTURE EXPERIMENTS

Yield data from the 1, 8 and 20 ppm DIMP growth tests has been examined. A limited amount of statistical manipulation has been done on this data as typified by Tables 4 and 5 and Figures 5 and 6 .

Table 4 presents the yield of edible portion of various plants, as a function of the concentration of contaminants. The average of the yield of the three positive control plants was used as the zero concentration yield. Also in Table 4 is the average yield at each concentration as a percentage of the maximum average.

With five plant types and two contaminants there are ten situations to evaluate. In four of these situations the maximum average yield occurred with zero contaminant. In the other six cases the maximum yield was obtained at some higher concentration. Figures 5 and 6 illustrate the situation.




Figure 4 . Laboratory Arrangement for Determining Evaporative Loss of Chemicals From Soil.

Table 4
YIELD OF FRUIT

| Plant Type | Contaminant | PPM | Average Weight | % of Max. Average |
|------------|-------------|-----|----------------|-------------------|
| Carrot | DIMP | 0 | 119.21 | 100.00 |
| | | 1 | 57.9 | 48.57 |
| | | 8 | 58.6 | 49.16 |
| | | 20 | 83.4 | 69.96 |
| | DCPD | 0 | 246.73 | 100.00 |
| | | 1 | 101.0 | 40.94 |
| | | 8 | 102.9 | 41.71 |
| | | 20 | 137.8 | 55.85 |
| Beet | DIMP | 0 | 45.45 | 100.00 |
| | | 1 | 39.8 | 87.57 |
| | | 8 | 39.6 | 87.13 |
| | | 20 | 30.5 | 67.11 |
| | DCPD | 0 | 74.3 | 100.00 |
| | | 1 | 44.7 | 60.16 |
| | | 8 | 44.5 | 59.89 |
| | | 20 | 50.7 | 68.24 |
| Alfalfa | DIMP | 0 | 3.90 | 54.93 |
| | | 1 | 4.19 | 59.01 |
| | | 8 | 7.10 | 100.00 |
| | | 20 | 2.32 | 32.58 |
| | DCPD | 0 | 3.70 | 96.61 |
| | | 1 | 3.16 | 82.51 |
| | | 8 | 3.83 | 100.00 |
| | | 20 | 2.97 | 77.55 |

Table 4 : Yield of Fruit (cont'd)

| Plant Type | Contaminant | PPM | Average Weight | % of Max. Average |
|------------|-------------|-----|----------------|-------------------|
| Wheat | DIMP | 0 | 2.22 | 77.08 |
| | | 1 | 2.73 | 94.79 |
| | | 8 | 2.88 | 100.00 |
| | | 20 | 1.53 | 53.13 |
| | DCPD | 0 | 1.76 | 64.00 |
| | | 1 | 1.15 | 41.82 |
| | | 8 | 2.75 | 100.00 |
| | | 20 | 1.39 | 50.55 |
| Bean | DIMP | 0 | 12.09 | 100.00 |
| | | 1 | 12.06 | 99.75 |
| | | 8 | 9.62 | 79.57 |
| | | 20 | 6.85 | 56.66 |
| | DCPD | 0 | 10.34 | 78.39 |
| | | 1 | 8.24 | 62.47 |
| | | 8 | 10.28 | 77.94 |
| | | 20 | 13.19 | 100.00 |

Tabulation of Average Weight of
Plant Parts @ 87 Days of Age

| Plant Type | Average Weight (g) of | | | | | Number of Plants in Average | Contaminant Type | Conc. of Contaminant in H ₂ O (ppm) |
|------------|-----------------------|-------|------|--------------|-------------|-----------------------------|------------------|--|
| | Leaf | Stem | Root | Edible Fruit | Total Plant | | | |
| Bean | 2.59 | 5.84 | 0.40 | 5.33 | 14.64 | 8 | Neg. Control | 0 |
| | 7.24 | 9.97 | 0.58 | 8.24 | 20.14 | 6 | DCPD | 1 |
| | 3.75 | 6.08 | 0.35 | 10.28 | 21.59 | 10 | " | 8 |
| | 10.85 | 16.90 | 0.83 | 13.19 | 43.87 | 5 | " | 20 |
| | 6.13 | 7.99 | 0.51 | 14.00 | 29.88 | 2 | Pos. Control | 1 |
| | 17.49 | 16.73 | 0.69 | 12.39 | 49.50 | 1 | " | 8 |
| | 14.44 | 19.77 | 1.08 | 0.96 | 36.83 | 1 | " | 20 |
| | 3.34 | 11.11 | 0.64 | 12.06 | 27.56 | 7 | DIMP | 1 |
| | 3.83 | 12.65 | 0.58 | 9.62 | 26.94 | 5 | " | 8 |
| | 12.85 | 20.13 | 0.98 | 6.85 | 41.99 | 5 | " | 20 |
| | 7.74 | 27.66 | 1.67 | 16.68 | 54.28 | 1 | Pos. Control | 1 |
| | 10.89 | 20.06 | 1.18 | 9.24 | 42.19 | 1 | " | 8 |
| | 5.81 | 12.15 | 0.71 | 11.21 | 30.19 | 2 | " | 20 |

Table 5a. Yield of various plants exposed to DIMP or DCPD during their growth period

Tabulation of Average Weight of
Plant Parts @ 87 Days of Age

| Plant Type | Average Weight (g) of | | | | | Number of Plants in Average | Contaminant Type | Conc. of Contaminant in H ₂ O (ppm) |
|------------|-----------------------|------|------|--------------|-------------|-----------------------------|------------------|--|
| | Leaf | Stem | Root | Edible Fruit | Total Plant | | | |
| Wheat | 0.68 | 1.00 | 0.49 | 1.27 | 4.37 | 18 | Neg. Control | 0 |
| | 0.68 | 1.40 | 0.48 | 1.15 | 5.45 | 24 | DCPD | 1 |
| | 1.41 | 2.07 | 1.67 | 2.75 | 10.73 | 12 | " | 8 |
| | 1.01 | 1.52 | 0.83 | 1.39 | 6.72 | 16 | " | 20 |
| | 0.67 | 0.67 | 0.52 | 1.40 | 5.25 | 3 | Pos. Control | 1 |
| | 1.10 | 1.29 | 0.91 | 2.65 | 7.50 | 3 | " | 8 |
| | 0.84 | 1.43 | 0.65 | 1.37 | 5.71 | 4 | " | 20 |
| | 0.88 | 1.68 | 0.75 | 2.73 | 7.98 | 16 | DIMP | 1 |
| | 1.10 | 2.05 | 0.68 | 2.88 | 8.98 | 16 | " | 8 |
| | 0.62 | 1.30 | 0.30 | 1.53 | 5.32 | 15 | " | 20 |
| | 1.01 | 1.67 | 0.98 | 2.75 | 7.75 | 3 | Pos. Control | 1 |
| | 1.24 | 2.06 | 0.59 | 2.52 | 7.89 | 2 | " | 8 |
| | 0.83 | 1.41 | 0.34 | 1.49 | 5.82 | 3 | " | 20 |

Table 5b. Yield of various plants exposed to DIMP or DCPD during their growth period.

Tabulation of Average Weight of
Plant Parts @ 116 Days of Age

| Plant Type | Average Weight (g) of | | | | | Number of Plants in Average | Contaminant Type | Conc. of Contaminant in H ₂ O (ppm) |
|------------|-----------------------|------|------|--------------|-------------|-----------------------------|------------------|--|
| | Leaf | Stem | Root | Edible Fruit | Total Plant | | | |
| Alfalfa | 1.10 | 1.55 | 1.22 | | 4.18 | 81 | Neg. Control | 0 |
| | 1.94 | 2.15 | 1.47 | | 6.20 | 65 | DIMP | 1 |
| | 3.14 | 3.96 | 2.36 | | 10.31 | 41 | " | 1 |
| | 1.13 | 1.19 | 0.94 | | 3.73 | 84 | " | 8 |
| | 2.62 | 2.82 | 1.59 | | 7.37 | 13 | Pos. Control | 1 |
| | 1.56 | 1.88 | 1.15 | | 5.06 | 16 | " | 8 |
| | 1.33 | 1.79 | 1.16 | | 4.28 | 16 | " | 20 |
| | | | | | | | | |
| | 1.42 | 1.74 | 2.25 | | 5.67 | 57 | DCPD | 1 |
| | 1.88 | 1.95 | 1.88 | | 6.25 | 53 | " | 8 |
| | 1.51 | 1.46 | 1.97 | | 5.31 | 55 | " | 20 |
| | 1.05 | 1.03 | 1.01 | | 3.22 | 22 | Pos. Control | 1 |
| | 4.68 | 2.14 | 5.06 | | 13.94 | 5 | " | 8 |
| | 3.13 | 3.08 | 1.07 | | 10.24 | 8 | " | 20 |
| | | | | | | | | |

Table 5c. Yield of various plants exposed to DIMP or DCPD during their growth period.

Tabulation of Average Weight of
Plant Parts @ 211 Days of Age

| Plant Type | Average Weight (g) of | | | | | Number of Plants in Average | Contaminant Type | Conc. of Contaminant in H ₂ O (ppm) |
|------------|-----------------------|------|------|--------------|-------------|-----------------------------|------------------|--|
| | Leaf | Stem | Root | Edible Fruit | Total Plant | | | |
| Sugar Beet | 23.9 | N/A | 40.9 | See Root | 64.8 | 27 | Neg. Control | 0 |
| | 13.8 | " | 39.8 | " | 53.6 | 16 | DIMP | 1 |
| | 7.3 | " | 39.6 | " | 46.9 | 18 | " | 8 |
| | 7.9 | " | 30.5 | " | 38.4 | 17 | " | 20 |
| | 9.8 | " | 30.7 | " | | 5 | Pos. Control | 1 |
| | 18.3 | " | 55.5 | " | | 5 | " | 8 |
| | 7.7 | " | 53.3 | " | | 3 | " | 20 |
| | 21.5 | N/A | 44.7 | See Root | 66.2 | 22 | DCPD | 1 |
| | 14.1 | " | 44.5 | " | 58.6 | 16 | " | 8 |
| | 21.1 | " | 50.7 | " | 71.8 | 16 | " | 20 |
| | 15.1 | " | 66.5 | " | 81.6 | 4 | Pos. Control | 1 |
| | 26.1 | " | 84.4 | " | 110.5 | 2 | " | 8 |
| | 49.1 | " | 79.8 | " | 128.9 | 2 | " | 20 |

Table 5d. Yield of various plants exposed to DIMP or DCPD during their growth period.

Tabulation of Average Weight of
Plant Parts @ 229 Days of Age

| Plant Type | Average Weight (g) of | | | | | Number of Plants in Average | Contaminant Type | Conc. of Contaminant in H ₂ O (ppm) |
|------------|-----------------------|------|-------|--------------|-------------|-----------------------------|------------------|--|
| | Leaf | Stem | Root | Edible Fruit | Total Plant | | | |
| Carrot | 13.7 | 19.6 | 126.6 | See Root | | 21 | Neg. Control | 0 |
| | 5.2 | 8.1 | 57.9 | " | 71.2 | 33 | DIMP | 1 |
| | 5.6 | 10.2 | 58.6 | " | 74.4 | 46 | " | 8 |
| | 9.2 | 13.6 | 83.4 | " | 106.2 | 16 | " | 20 |
| | 4.5 | 4.6 | 42.3 | " | 51.4 | 12 | Pos. Control | 1 |
| | 26.7 | 35.6 | 318.3 | " | 380.6 | 2 | " | 8 |
| | 34.8 | 33.1 | 381.6 | " | 449.5 | 2 | " | 20 |
| Cucumber | 12.2 | 8.9 | 101.0 | See Root | 122.1 | 26 | DCPD | 1 |
| | 13.6 | 19.1 | 102.9 | " | 135.6 | 16 | " | 8 |
| | 18.7 | 28.6 | 137.8 | " | 185.1 | 9 | " | 20 |
| | 48.0 | 43.8 | 647.4 | " | 739.2 | 1 | Pos. Control | 1 |
| | 23.8 | 25.5 | 49.6 | " | 98.9 | 4 | " | 8 |
| | 76.9 | 60.8 | 634.6 | " | 772.3 | 1 | " | 20 |

Table 5e Yield of various plants exposed to
DIMP or DCPD during their growth period.




Figure 5. Effect of dose level of DCPD on yield of various plants




Figure 6. Effect of dose level of DIMP on yield of various plants

We may conclude that in some cases the nominal contaminants are actually growth promoters. The only evidence available from the strictly statistical point of view is the yields of the positive control plants. These vary so widely one from another, in the case of the carrots, that it can only be concluded that plant-to-plant variation is so great as to completely mask the results of the treatment. In other words, the signal-to-noise ratio is very low.

It is the opinion of the statistician at this point that a much more extensive series of experiments, from the point of numbers of plants and contaminant concentration levels is required to enable mathematical statements of the effects of DIMP and DCPD on plant growth.

Proposed Activity for February 1977

- o Harvest plants from the range finding soil growth experiments to determine effective dose levels of contaminants.
- o Continue radioactive DIMP and DCPD in soil evaporation/decomposition experiments.
- o Run ancillary analyses on soil and tissues from growth tests terminated in December.
- o Continue treatment and analysis of lysimeter soil and water samples.
- o Begin terminal sampling and analyses of chronic DIMP lysimeters.